# Data Sciences: From First-order Logic to the Web

Serge Abiteboul

Chaire informatique et sciences numériques





To all female students in informatics, in mathematics or in the sciences



Je ne connais pas d'être vivant, de cellule, tissu, organe, individu et peut-être même espèce, dont on ne puisse pas dire qu'il stocke de l'information, qu'il traite de l'information, qu'il émet et qu'il reçoit de l'information.

Michel Serres

#### Introduction

Two achievements for the 20th century

Relational systems

Web search engines

Two challenges of the 21st century

Networks and collective knowledge

The web of knowledge

Conclusion

# Data sciences: From first-order logic to the web

#### Computer systems are used to compute

- Weather simulation
- Cryptography
- Etc.

#### They are often used to store/manage data


- Accounting
- Product catalog
- Inventory
- Agenda
- Contacts
- Library
- Etc.



#### Data sciences:

## From first-order logic to the web


Computer systems play the role of mediators between intelligent users and objects storing information



# Data sciences: From first-order logic to the web

Today information is found on the « World Wide Web », a public hypertext system (\*) on the Internet (\*\*) that allows consulting, using a browser, pages usually found with web search engines

#### (\*) Hypertext



#### (\*\*) Internet

A network that allows exchanging flows of information between machines

# Success stories on the web

Google: web pages

Facebook: personal data

Wikipedia: encyclopedia

Amazon, eBay: web catalog

YouTube, Dailymotics

They are all about data management Twitter: communicat

Flickr, Picasa: photos

iTunes, Kazaa, Emule, Batanga, BearShare: music

Myspace: personal pages

Wikileaks: state secrets

What do they have in common?


### The numerical world

Billions of communicating objects

Hundreds of millions of web sites

1000 billions of pages (September 2008)

More than 10 billion searches/month on the web (April 2008)



## Measuring it with coffee spoons

- 8 bits = 1 byte
- 1 terabyte =  $10^{12}$  bytes
  - 200 terabytes = all the books ever written
- 1 petabyte =  $10^{15}$  bytes
  - 100 petabyte = the volume of data produced by the CERN particle collider in a minute
- 1 exabyte =  $10^{18}$  bytes
  - 5 exabytes = le volume of the data corresponding to all the words ever pronounced by humans
- 1 zettabyte =  $10^{21}$  bytes
  - $\frac{1}{2}$  zetta = the Internet traffic in 2012 0.5.10<sup>21</sup>
  - 66 zetta: the visual information sent to the brain in a year

Source: Cisco Visual Networking Index - Forecast, 2007-201 - Via Michael Brodie

## Data, information, knowledge

Data	Elementary description of some reality	Temperature measurements in a weather station
Information	Data with a meaning (to construct a representation of some reality)	A curb giving the evolution of the average temperature in a place throughout the year
Knowledge	Information equipped with some notion of truth and more generally some general laws that have been inferred	The fact that temperature on the earth is augmenting because of human activity

#### Logic is the beginning of wisdom, not the end.

Mr. Spock, Star Trek

Introduction

Two achievements for the 20th century

#### **Relational systems**



Web search engines

Two challenges of the 21st century

Networks and collective knowledge

The web of knowledge

Conclusion

## Classic data management

#### A great success of the 20th century

- Academic and industrial research
- Theoretical foundations
- Commercial systems such as Oracle, DB2, SQL Server
- Open-source software such as mySQL

#### Relational model, Edgar F. Codd-1970

- Strongly inspired by First-order logic
- Developed in the late 19th century by mathematicians to formalize the language of mathematics

# Relations

Film		
Title	Director	Actor
Casablanca	M. Curtiz	H. Bogart
Casablanca	M. Curtiz	P. Lore
Les 400 coups	F. Truffaut	JP. Leaud
Star Wars	G. Lucas	H. Ford

S	ho	W	in	g


Title	Theater	Time
Casablanca	Le Grand Rex	19:00
Casablanca	Max Linder Panorama	20:00
Star Wars	Sèvres Espace Loisirs	20:30
Star Wars	Sèvres Espace Loisirs	20:45

# Queries are expressed in relational calculus

```
q<sub>HB</sub> = { Theater, Time | ∃ Director, Title
( Film( Title, Director, « Humphrey Bogart ») ∧
Showing( Title, Theater, Time ) }
```

In practice, relational systems use a simpler syntax SQL:

```
select Theater, Time
from Film, Showing
where Film.Title = Showing.Title and Actor= «Humphrey Bogart»
```



titre

Film titre

Casablanca

Star wars

Les quatre cents coups


Casablanca

titre

Casablanca

П

σ



## Query optimization

Goal: choose the execution plan with the lowest possible cost (typically time) to evaluate the query

#### Problem

- The "search space", that is to say the space in which we search for an execution plan, is potentially enormous. Use "heuristics" to reduce it
- One must be able to estimate very quickly the cost of each candidate plan (to find the least expensive)

Optimizers of relational systems such as Oracle or DB2 perform very well on simple queries

In practice, most queries are simple

# On the complexity of queries

Some logical statements can be neither proven nor disproved & some problems cannot be solved [Church-Turing]

Some problems can be solved but solutions are simply too expensive

For example, factoring a large integer into prime numbers

Complexity of a task based on the size of the data

- Time: how long it takes
- Space: how much disk space (or memory) it requires

#### Example

- Linear time: if I double the size of the data, I double the time
- P: time in n<sup>k</sup> where n is the size of the data
- EXPTIME: time in k<sup>n</sup>

# Why these systems are so successful

#### Queries are expressed in relational calculus

 A logical language, simple and understandable especially in variants such as SQL

#### Calculus queries can be translated into algebraic expressions

That are easy to evaluate; Codd's theorem

#### The evaluation of algebraic expressions can be optimized

Because it is a limited model of computation

#### Parallelism allows scaling to very large databases

- Relational calculus queries are in the complexity class AC<sup>0</sup>
- Highly parallelizable

# An open problem

Any relational calculus query can be evaluated in P

Conversely, can all queries computable in P be expressed using relational calculus? No!

- Given a graph G, and two points a, f of the graph, is there a path from a to
   f?
- One can ask whether there is a path of length 3 or even k, for k fixed

Problem: Find a logical language that would express all queries computable in polynomial time but that would express only queries computable in polynomial time

This would provide a bridge between what is logically expressible and what is easily computable

Playboy: Is your company motto really "Don't be evil"?

Brin: Yes, it's real.

Playboy: Is it a written code?

Brin: Yes. We have other rules, too.

Page: We allow dogs, for example.

Sergey Brin and Larry Page, founders of Google. Interview in *Playboy Magazine*, 2004

Introduction

Two achievements for the 20th century

Relational systems

#### Web search engines

Two challenges of the 21st century

Networks and collective knowledge

The web of knowledge

Conclusion


# What changed with the web

Information was living in islands with different formats, application programming languages, operating systems

The web brought universal standards for sharing information

#### We now have:

- Uniform and universal access to information
- Access to huge volumes of information



#### **Parallelism**

# Essential to manage large volumes of data


Improve availability, performance, etc..


#### What kind of parallelism?

- Machines are increasingly multi-processors
- Collaboration between servers at different sites of a company
- Hundreds or thousands of servers in a "cluster"
- Millions of web servers

# Example: two organizations for movie distribution

- Each movie on a single server
  - If the movie is too popular, the server saturates
- Peer-to-peer architecture each machine is a client and server





### A web index

The index gives, for each word, the list of pages that contain this word

Word	Page number
collège	34,56,223,9900,111111
france	56,778,6560,9900,9999
informatique	9890,11122290

PN	url
1	www.inria.fr
2	www.bnf.com
3	www.inria.fr/~bhe
4	www.inria.fr/a/b

# Scaling

The more pages are indexed, the larger the index grows

- Billions of pages
- The index size is roughly the size of the indexed data
- Each query is becoming increasingly expensive to evaluate

The more users the engine has, the more queries it receives

Tens of billions of search queries per month

Solution: parallelism

# Skill and magic

You were told that the web is extraordinary because of the amount of information it contains

#### No


- The more information, the more complicated it is to find the right information
- What matters is the quality of information

#### The skill: indexing billions of pages

Using techniques such as hashing

#### The magic: finding what you want (in general)

Using "measures" to rank pages such as TFIDF and PageRank



# The magic: ranking pages

#### Random surfer on the web

- Popularity = probability to be in a page
- The probability to be in lemonde.fr is larger than that of being on the personal page of Madame Michu

Turn this into an equation:  $pop = \Theta \times pop$ 

#### And then solve the equation

- $pop_0$  defined by  $pop_0[i] = 1/N$ 
  - All pages are assumed to be equally popular
- $-pop_1 = \Theta \times pop_0$
- $-pop_2 = \Theta \times pop_1$
- $-pop_3 = \Theta \times pop_2...$

The fixpoint gives the popularity

# Open problems

#### Queries are too simplistic


- Primitive language with almost no grammar: list of keywords
- Imprecise result: list of pages
- We can do better

#### PageRank is too simplistic

- Based solely on popularity; how about originality?
- Does not take into account negative opinions

Too much power for a few search engines
And why this secret on the ranking criteria?

# Relational systems How did we get there?



Abstract data model

Relational calculus and algebra


Query optimization and concurrency control

Failure recovery

Disk capacity

# Web search engines How did we get there?

The improvement of a functionality or a new functionality



Better ranking of pages

PageRank fixpoint definition

The use of massive parallelism

Running clusters of thousands of machines

Huge and cheap memories

Avoir ou ne pas avoir de réseau: that's the question.

Bruno Latour

Introduction

Two achievements for the 20th century

Relational systems

Web search engines

Two challenges of the 21st century

**Networks and collective knowledge ←** 

The web of knowledge


Conclusion


# After the networks of machines, the networks of contents, the networks of users

The web is not just for obtaining data

Everyone can participate: tweets, Wikipedia, mashups

Keywords: interaction, communities, communication, networks





# Collective knowledge

#### Different approaches

- Grading
- Expertise evaluation
- Recommendation
- Collaboration
- Crowdsourcing

# Grading



#### Learn the opinion of the internaut

- Quantitative (\*\*\*)
- Qualitative ("perfect for dating")

eBay: customers grade vendors Increasingly standard

- Movie in allocine
- Restaurant in ViaMichelin
- Webpage annotations in Delicious



# Expertise evaluation

#### **Evaluate**

the quality of information

the quality of information sources

Illustration: recent work on corroboration

How is expertise built on the web?

- Specialized blogs for law, medicine, art...
- Citizen blogs in Tunisia or Syria

Will reputation be some day determined by programs?

#### Recommendation

#### Use web data for deriving recommendations

- Meetic organizes dates
- Netflix suggests movies
- Amazon suggests books

#### Statistical analysis to discover "proximities"

- Between customers in Meetic
- Between customers and products in Netflix or Amazon







### Collaboration




Internauts perform collectively tasks they cannot solve individually

Wikipedia: encyclopedia

- 281 editions; 3 millions articles for the English version
- Extremely used
- Covers a much larger spectrum than a traditional encyclopedia
- Controversial quality

Linux: operating system in open source

Linked data: corpus of open data



## Open problems

### Statistical analysis

- On large volume of data and users
- Need to verify information, evaluate its quality, resolve contradictions

### Lack of explanation

Systems are bad at explaining choices resulting from complex computations

### Confidentiality issues

 Conflict between the user who wants to protect its confidential data and systems that want this data to provide better and more personalized services (in the best case)





But of the tree of the knowledge of good and evil, thou shalt not eat of it: for in the day that thou eatest thereof thou shalt surely die.

Genesis 2:17

Introduction

Two achievements for the 20th century

Relational systems

Web search engines

Two challenges of the 21st century

Networks and collective knowledge

The web of knowledge

Conclusion

## From text to knowledge

The web of text is based on the fact that people like to read, write, speak, listen to text

Machines understand better more formatted knowledge

Text	Knowledge
Je suis presque certain que Bob est amoureux d'Alice	Likes(Bob, Alice, 95%)

### Semantic web

Add semantic annotations to specify the meaning of documents on the web

#### Example

```
author= Serge Abiteboul; title = Sciences des données
nature = leçon inaugurale; date = Mars 2012; language = français
```

#### Inside a document

Woody Allen < dbpedia: Woody\_Allen > was at Cannes < geo:city\_France > for the kickoff of ...

Knowledge bases such as dbpedia are called ontologies

## Ontologies

#### Logical sentences such as:

- classes sa:Person, sa:Director, sa:Film
- sa:Director subclass of sa:Person
- Sa:Movie synonymous of sa:Film
- sa:Woody\_Allen is a sa:Director
- relation sa:directed
- sa:Woody\_Allen sa:directed sa:movie\_Manhattan

#### What is this useful for?

- To answer queries more precisely
- To integrate data from several data sources and eventually integrate all the data of the web

## Problem: knowledge acquisition

#### Internauts

- like to publish on the web in their natural languages
- do not appreciate the constraints of a knowledge editor
- want to keep their visibility

### Knowledge will often be generated automatically

- Search for syntactic forms such as
- Napoléon died in Sainte-Hélène

### Construction of large knowledge bases

- Complex
- Language understanding
- The web is full of inaccuracies and errors

## Problem: distributed reasoning

### Using facts such as

Psycho is a Hitchcock movie and Alice saw Psycho

#### And rules such as

WantsToSee(Alice, t)  $\leftarrow$  Film(t, Hitchcock, a), not Seen(Alice, t)

#### We can infer "intentional" facts such as

Alice would like to see the movie Psycho

#### Answering a query becomes more complicated

- Infer new facts but avoid inferring all that may be inferred too costly
- Collaboration between systems that possess and infer facts

### Totally new context

- We are surrounded by systems that possess and infer facts
- Modifies the way we think

Where is the wisdom we have lost in knowledge? Where is the knowledge we have lost in information?

T.S. Eliot

Introduction

Two achievements for the 20th century

Relational systems

Web search engines

Two challenges of the 21st century

Networks and collective knowledge

The web of knowledge

**Conclusion ←** 

### The web is multiform

Industry, health, culture, government, science, ecology ...

#### Unavoidable

To find work, to work, to find an apartment, to manage bank accounts,
 to be part of an association, to have friends...

### Hosting all human knowledge

- The most horrific fantasies, all the violence
- Inaccuracies, errors

## The web is multiform

Outdated view 1: hypertext

Outdated view 2: universal library

#### And the other webs

- Smartphone web
- Social network web
- Semantic web
- Communicating objects web and ambient intelligence
- Virtual world web (3D games)

**–** ...

#### risks dangers traps excess pitfalls

## The pitfalls of the web

Avoid drowning in an ocean of data


This has been one the threads of this presentation

#### Access to information for all

Social divide

CREDOC 2009: in France, 40% of the population never uses computers

- North/south
- Teaching of computer science



# The pitfalls of the web (end)

Democracy or not?

And private life?

For better or worse people?

I want to continue believing that the web will contribute to building a better future

Prediction is very difficult, especially about the future.

**Niels Bohr** 

## And tomorrow...

Political choices

New software tools that are yet to be invented

And for scientific aspects

The next stage of data sciences has already started:

The web of knowledge

```
From data

to information,

to knowledge...
```



Acknowledgements: Martín Abadi, Jérémie Abiteboul, Manon Abiteboul, Gilles Dowek, Emmanuelle Fleury, Laurent Fribourg, Sophie Gamerman, Bernadette Goldstein, Florence Hachez-Leroy, Tova Milo, Marie-Christine Rousset, Luc Segoufin, Pierre Senellart and Victor Vianu





